

**TOWN OF FORESTPORT
SEWER DISTRICT # 1 MEETING
FORESTPORT TOWN HALL
10275 State Rte. 28, Forestport, N.Y. 13338
March 16, 2022 @ 6:30 PM
AGENDA**

1. CALL TO ORDER

2. TOWN CLERK MINUTES

- Special Sewer District #1 Minutes- February 16, 2022- Sent Electronically

3. ABSTRACT:

- Abstract # 3, Voucher #19- #26 in the amount of \$1,158.50

4. SEWER REPORT:

- Monthly Report

5. OLD BUSINESS BOARD:

- Recap of Bond Resolution

6. NEW BUSINESS BOARD:

7. NEW BUSINESS PUBLIC:

8. ADJOURNMENT:

Slender

**Town Of Forestport
Oneida County
New York**

Abstract of Audited Vouchers for the period: 2/18/2022 thru 3/15/2022

Description

G/L Number: 081304.09.000.00 Treatmt/Disposal CE SEWER DIST

Center State Propane-Sewer S22-19 43.6gal@2.214 propane-Lift Stati ##### \$96.53

Total for G/L Account 081304.09.000.00 \$96.53

Total for all Vouchers \$96.53

Total for Vendor: Center State Propane-Sewer \$96.53

G/L Number: 081204.09.000.00 Sanitary Sewers CE SEWER DIST

Daktor, Ted - Sewer S22-20 120@.50 reg rds 2/1-2/28/22 mile 3/1/2022 \$60.00

Total for G/L Account 081204.09.000.00 \$60.00

Total for all Vouchers \$60.00

Total for Vendor: Daktor, Ted - Sewer \$60.00

G/L Number: 081304.09.000.00 Treatmt/Disposal CE SEWER DIST

J Piper Consulting-Gen S22-25 9hrs@65. Sewer Grant services 3/3/2022 \$585.00

Total for G/L Account 081304.09.000.00 \$585.00

Total for all Vouchers \$585.00

Total for Vendor: J Piper Consulting-Gen \$585.00

G/L Number: 081304.09.000.00 Treatmt/Disposal CE SEWER DIST

Life Science-Sewer S22-21 2@22. SM 5210B-2016 BOD-5 D ##### \$44.00

Life Science-Sewer S22-21 2@10. SM 2540 D-2011 Total Su ##### \$20.00

Total for G/L Account 081304.09.000.00 \$64.00

Total for all Vouchers \$64.00

Total for Vendor: Life Science-Sewer \$64.00

G/L Number: 081304.09.000.00 Treatmt/Disposal CE SEWER DIST

**Town Of Forestport
Oneida County
New York**

Abstract of Audited Vouchers for the period: 2/18/2022 thru 3/15/2022

Description				
Nationalgrid - Sewer	S22-23	3/22 Lift Station Dutch #54649-42	3/1/2022	\$34.57
Nationalgrid - Sewer	S22-22	3/22 Sewer Plant #56849-42108	3/1/2022	\$138.19
Total for G/L Account		081304.09.000.00		\$172.76
Total for all Vouchers				\$172.76
Total for Vendor: Nationalgrid - Sewer				\$172.76
G/L Number: 081204.09.000.00 Sanitary Sewers CE SEWER DIST				
Pelno, Jim - Sewer	S22-24	9hrs@17.69 plowing Sewer sites	3/2/2022	\$159.21
Total for G/L Account		081204.09.000.00		\$159.21
Total for all Vouchers				\$159.21
Total for Vendor: Pelno, Jim - Sewer				\$159.21
G/L Number: 081304.09.000.00 Treatmt/Disposal CE SEWER DIST				
USA Bluebook - Sewer	S22-26	4@5.25 kimwipes-disposable wip	3/3/2022	\$21.00
Total for G/L Account		081304.09.000.00		\$21.00
Total for all Vouchers				\$21.00
Total for Vendor: USA Bluebook - Sewer				\$21.00

**Town Of Forestport
Oneida County
New York**

Abstract of Audited Vouchers for the period: 2/18/2022 thru 3/15/2022

Description

Grand Total of all Vouchers \$1,158.50

I hereby certify that the vouchers listed on this abstract for this period consisting of these attached pages were audited and allowed in the amounts shown. Authorization is hereby given and direction is made to pay each of the claimants the amount opposite his name.

Authorized Official

Date

Authorized Official

Authorized Official

Authorized Official

Authorized Official

Authorized Official

Authorized Official

PERMITTEE NAME/ADDRESS (Include Facility Name/Location if

NAME: FORESTPORT (T)

ADDRESS: PO BOX 137

FORESTPORT, NY 13338

FACILITY: FORESTPORT (T) WWTP

LOCATION: RIVER STREET

FORESTPORT, NY 13338

NY0236756

PERMIT NUMBER

001-M

DISCHARGE NUMBER

DMR Mailing ZIP CODE: 13338

MINOR

(SUBR 06)

External Outfall

No Discharge ☐

MONITORING PERIOD

MM/DD/YYYY

2/1/2022

MM/DD/YYYY

2/28/2022

PARAMETER	QUANTITY OR LOADING			QUALITY OR CONCENTRATION			NO. EX	FREQUENCY OF ANALYSIS	SAMPLE TYPE
	VALUE	UNITS	VALUE	VALUE	UNITS	VALUE			
Temperature, water deg. centigrade									
00010 10 Effluent Gross									
Temperature, water deg. centigrade									
00010 G 0 Raw Sewage Influent									
BOD, 5-day, 20 deg. C									
00310 10 Effluent Gross									
BOD, 5-day, 20 deg. C									
00310 G 0 Raw Sewage Influent									
pH									
00400 10 Effluent Gross									
pH									
00400 G 0 Raw Sewage Influent									
Solids, total suspended									
00530 10 Effluent Gross									

I certify under penalty of law that this document and all attachments were prepared under my direction or supervision in accordance with a system designed to assure that qualified personnel properly gather and evaluate the information submitted. Based on my inquiry of the person or persons who manage the system, or those persons directly responsible for gathering the information, the information submitted is, to the best of my knowledge and belief, true, accurate, and complete. I am aware that there are significant penalties for submitting false information, including the possibility of fine and imprisonment for knowing violations.

NAME/TITLE PRINCIPAL EXECUTIVE OFFICER	SIGNATURE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT	TELEPHONE	DATE
TYPED OR PRINTED	AREA Code	NUMBER	MM/DD/YYYY

COMMENTS AND EXPLANATION OF ANY VIOLATIONS (Reference all attachments here)

SEE PERMIT FOOTNOTES REGARDING VISUAL OBSERVATIONS OF EFFLUENT QUALITY ON SATURDAYS AND SUNDAYS.

PERMITTEE NAME/ADDRESS (Include Facility Name/Location if

NAME: FORESTPORT (T)

ADDRESS: PO BOX 137

FORESTPORT, NY 13338

FACILITY: FORESTPORT (T) WWTP

LOCATION: RIVER STREET

FORESTPORT, NY 13338

NY0236756

PERMIT NUMBER

001-M

DISCHARGE NUMBER

MONITORING PERIOD

MM/DD/YYYY

2/1/2022

DMR Mailing ZIP CODE: 13338

MINOR

(SUBR 06)

External Outfall

No Discharge

PARAMETER		QUANTITY OR LOADING			QUALITY OR CONCENTRATION				NO. EX	FREQUENCY OF ANALYSIS	SAMPLE TYPE
		VALUE	VALUE	UNITS	VALUE	VALUE	UNITS				
Solids, total suspended	SAMPLE MEASUREMENT										
	PERMIT REQUIREMENT										
00530 G O Raw Sewage Influent	SAMPLE MEASUREMENT										
	PERMIT REQUIREMENT									Monthly	GRAB
Solids, settleable	SAMPLE MEASUREMENT										
	PERMIT REQUIREMENT										
00545 1 O Effluent Gross	SAMPLE MEASUREMENT										
	PERMIT REQUIREMENT									Five per Week	GRAB
Solids, settleable	SAMPLE MEASUREMENT										
	PERMIT REQUIREMENT										
00545 G O Raw Sewage Influent	SAMPLE MEASUREMENT										
	PERMIT REQUIREMENT									Five per Week	GRAB
Flow, in conduit or thru treatment plant	SAMPLE MEASUREMENT										
	PERMIT REQUIREMENT										
50050 G O Raw Sewage Influent	SAMPLE MEASUREMENT										
	PERMIT REQUIREMENT									Continuous	Recorder (auto)
BOD, 5-day, percent removal	SAMPLE MEASUREMENT										
	PERMIT REQUIREMENT										
81010 K O Percent Removal	SAMPLE MEASUREMENT										
	PERMIT REQUIREMENT									Monthly	CALCTD
Solids, suspended percent removal	SAMPLE MEASUREMENT										
	PERMIT REQUIREMENT										
81011 K O Percent Removal	SAMPLE MEASUREMENT										
	PERMIT REQUIREMENT									Monthly	CALCTD

NAME/TITLE PRINCIPAL EXECUTIVE OFFICER	I certify under penalty of law that this document and all attachments were prepared under my direction or supervision in accordance with a system designed to ensure that qualified personnel properly gather and evaluate the information submitted. Based on my inquiry of the person or persons who manage the system, or those persons directly responsible for gathering the information, the information submitted is, to the best of my knowledge and belief, true, accurate, and complete. I am aware that there are significant penalties for submitting false information, including the possibility of fine and imprisonment for knowing violations.		SIGNATURE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT	TELEPHONE	DATE
TYPED OR PRINTED				AREA Code NUMBER	MM/DD/YYYY

COMMENTS AND EXPLANATION OF ANY VIOLATIONS (Reference all attachments here)

SEE PERMIT FOOTNOTES REGARDING VISUAL OBSERVATIONS OF EFFLUENT QUALITY ON SATURDAYS AND SUNDAYS.

WASTEWATER FACILITY OPERATION REPORT FOR THE MONTH OF February, 2022

SPDES PERMIT NO.		FACILITY NAME		FACILITY OWNER		FACILITY LOCATION							
NY-SPDES # 0236756													
Day	Date	VOLUME OF WASTEWATER TREATED		TEMPERATURE (C/F)		pH (S.U.)		SETTLABLE SOLIDS (ml/l)		B.O.D. (mg/l)		SUSPENDED SOLIDS (mg/l)	
		Daily Precip In/day	Inst. Max MGD	Daily Ave. MGD	Inst. Min. MGD	Influent	Effluent	Influent	Effluent	Influent	Effluent	Influent	Effluent
T	1	0	5130A	5156		7.9	4.3	7.40	6.35	22.0	50.1		
W	2	0	5138A	5003		9.2	4.3	7.36	6.55	34.0	50.1		
T	3	6mm	5745A	4660		10.6	5.5	7.20	6.61	18.0	50.1		
F	4	0	5713A	6346		10.3	5.2	7.14	6.54	36.0	50.1		
S	5												
S	6												
M	7	0	5156A	16342		8.7	4.3	7.09	6.65	28.0	50.1		
T	8	0	6125A	5201		9.0	4.6	7.98	6.52	34.0	50.1		
W	9	0	6126A	4914		8.4	4.3	7.13	6.63	18.0	50.1		
T	10	0	5134A	5905		9.1	5.2	7.01	6.50	12.0	50.1		
F	11	0	6105A	5193		9.5	5.0	7.08	6.45	26.0	50.1		
S	12												
S	13												
M	14	8mm	5111A	19495		7.3	3.6	7.29	6.48	12.0	50.1		
T	15	0	5108A	5587		7.4	3.6	7.21	6.40	42.0	50.1		
W	16	0	6103A	6042		7.6	4.0	7.15	6.37	10.0	50.1		
T	17	6mm	6111A	5362		9.0	4.8	7.19	6.39	14.0	50.1		
F	18	36mm	5100A	18248		11.4	3.7	7.07	6.62	28.0	50.1		
S	19												
S	20												
M	21	0	4100A	19594		8.6	4.4	6.80	6.57	38.0	50.1		
T	22	0	4120A	5291		8.8	4.8	7.23	6.61	36.0	50.1		
W	23	34mm	5150A	17972		10.9	5.3	7.06	6.52	24.0	50.1		
T	24	0	5157A	8132		9.4	5.0	7.36	6.57	28.0	50.1		
F	25	0	6131A	5373		9.3	5.3	7.39	6.57	12.0	50.1		
S	26												
S	27												
M	28	0	5113A	17729		9.4	4.3	7.40	6.54	30.0	50.1		
T	29												
W	30												
T	31												
Total Precip		90mm		Monthly Average	.007	Monthly Influent	11.4	Monthly Average Influent	4.6	Min Influent	6.80	Max Influent	7.40
				Monthly Average Effluent	4.6	Min Effluent	6.37	Max Effluent	6.75	Monthly Maximum	42.0	Monthly Maximum	50.1
										30 Day Average Quantity Loading (t)	0.2	30 day arithmetic mean (t)	0.4
												30 day arithmetic mean (1)	96%
												Int.(mg/l) Eff.(mg/l) %Rem.	260 10 96%

(1) Refer to February 2002 edition of DMR Manual for Completing the Discharge Monitoring Report for the State Pollutant Discharge Elimination System (SPDES) for procedures to calculate loadings, arithmetic mean, geometric mean, maximum, minimum, percent removal, etc.

(2) If temperature is measured more than once a day, report the average for day.

(3) List parameter names in these fields as necessary for multiple outfalls and additional parameters. Make additional sheets if necessary.
NOTE: Refer to current SPDES permit for specific monitoring requirements. Sample type for temperature, pH and settleable solids is grab.

FACILITY MAILING ADDRESS (Street, City, State, Zip Code)

TELEPHONE NUMBER

CHIEF OPERATOR'S NAME

CERTIFICATION GRADE

Day

Date

TOTAL PHOSPHORUS(mg/l)

Influent Type

Effluent Type

CHLORINE RESIDUAL

Effluent mg/l

Minimum

Maximum

FECAL COLIFORM

Effluent

MF or MPN/100 ml

REMARKS

Enter any other comments, observations, operating problems, equipment failure, etc.

1

2

3

4

5

6

7

8

9

10

11

12

13

14

15

16

17

18

19

20

21

22

23

24

25

26

27

28

29

30

31

T

W

T

F

S

S

M

T

W

T

F

S

S

M

T

W

T

F

S

S

M

T

W

T

F

S

S

M

T

W

T

F

S

S

M

R clean barrels

R clean barrels

R clean barrels

R clean barrels

R clean barrels

R clean barrels

R clean barrels

R clean barrels

R clean barrels

R clean barrels

R clean barrels

R clean barrels

R clean barrels

R clean barrels

R clean barrels

R clean barrels

R clean barrels

R clean barrels

R clean barrels

R clean barrels

R clean barrels

R clean barrels

R clean barrels

R clean barrels

R clean barrels

R clean barrels

R clean barrels

R clean barrels

R clean barrels

R clean barrels

R clean barrels

R clean barrels

R clean barrels

R clean barrels

SEWER SAMPLES

SEWER SAMPLES

SEWER SAMPLES

SEWER SAMPLES

SEWER SAMPLES

SEWER SAMPLES

SEWER SAMPLES

SEWER SAMPLES

SEWER SAMPLES

SEWER SAMPLES

SEWER SAMPLES

SEWER SAMPLES

SEWER SAMPLES

SEWER SAMPLES

SEWER SAMPLES

SEWER SAMPLES

SEWER SAMPLES

SEWER SAMPLES

SEWER SAMPLES

SEWER SAMPLES

SEWER SAMPLES

SEWER SAMPLES

SEWER SAMPLES

SEWER SAMPLES

SEWER SAMPLES

SEWER SAMPLES

SEWER SAMPLES

SEWER SAMPLES

SEWER SAMPLES

SEWER SAMPLES

SEWER SAMPLES

SEWER SAMPLES

SEWER SAMPLES

OPEN 1+3 CLOSE 2+4 B&Ds

OPEN 1+3 CLOSE 2+4 B&Ds

OPEN 1+3 CLOSE 2+4 B&Ds

OPEN 1+3 CLOSE 2+4 B&Ds

OPEN 1+3 CLOSE 2+4 B&Ds

OPEN 1+3 CLOSE 2+4 B&Ds

OPEN 1+3 CLOSE 2+4 B&Ds

OPEN 1+3 CLOSE 2+4 B&Ds

OPEN 1+3 CLOSE 2+4 B&Ds

OPEN 1+3 CLOSE 2+4 B&Ds

OPEN 1+3 CLOSE 2+4 B&Ds

OPEN 1+3 CLOSE 2+4 B&Ds

OPEN 1+3 CLOSE 2+4 B&Ds

OPEN 1+3 CLOSE 2+4 B&Ds

OPEN 1+3 CLOSE 2+4 B&Ds

OPEN 1+3 CLOSE 2+4 B&Ds

OPEN 1+3 CLOSE 2+4 B&Ds

OPEN 1+3 CLOSE 2+4 B&Ds

OPEN 1+3 CLOSE 2+4 B&Ds

OPEN 1+3 CLOSE 2+4 B&Ds

OPEN 1+3 CLOSE 2+4 B&Ds

OPEN 1+3 CLOSE 2+4 B&Ds

OPEN 1+3 CLOSE 2+4 B&Ds

OPEN 1+3 CLOSE 2+4 B&Ds

OPEN 1+3 CLOSE 2+4 B&Ds

OPEN 1+3 CLOSE 2+4 B&Ds

OPEN 1+3 CLOSE 2+4 B&Ds

OPEN 1+3 CLOSE 2+4 B&Ds

OPEN 1+3 CLOSE 2+4 B&Ds

OPEN 1+3 CLOSE 2+4 B&Ds

OPEN 1+3 CLOSE 2+4 B&Ds

OPEN 1+3 CLOSE 2+4 B&Ds

OPEN 1+3 CLOSE 2+4 B&Ds

OPEN 1+3 CLOSE 2+4 B&Ds

OPEN 1+3 CLOSE 2+4 B&Ds

30 day arithmetic mean (1)

Influent(mg/l)

Effluent(mg/l)

Minimum (1)

Maximum (1)

30 day Geometric Mean (1)

lbs/day

(1) Refer to February 2002 edition of DMR Manual for Completing the Discharge Monitoring Report for the State Pollutant Discharge Elimination System (SPDES) for procedures to calculate loadings, arithmetic mean, geometric mean, maximum, minimum, percent removal, etc.

NOTE: Refer to current SPDES permit for specific monitoring requirements. Sample type for chlorine residual and fecal coliform is grab.

FIXED MEDIA PROCESS CONTROL										ACTIVATED SLUDGE PROCESS CONTROL				
Day	Date	Sample Type:		Sample Type:		Sample Type:		Media Effluent Settleable Solids m/l	Recirculation Rate M.G.D.	Mixed Liquor S.S. (MLSS) mg/l	Settleable Sludge Volume (SSV) ml/l		Return Act. Sludge (RAS) M.G.D.	Waste Act. Sludge (WAS) lbs/day
		Influent	Effluent	Influent	Effluent	Influent	Effluent				5 Minutes	30 Minutes		
1														
2														
3														
4														
5														
6														
7														
8														
9														
10														
11														
12														
13														
14														
15														
16														
17														
18														
19														
20														
21														
22														
23														
24														
25														
26														
27														
28														
29														
30														
31														
30 day arithmetic mean (1)														
30 day Ave. Quantity Loading (1)														

(1) Refer to February 2002 edition of DMR Manual for Completing the Discharge Monitoring Report for the State Pollutant Discharge Elimination System (SPDES) for procedures to calculate loadings, arithmetic mean, geometric mean, maximum, minimum, percent removal, etc.

Page 4 of 4

Name and amount of chemicals used in treatment process during month:	
a. Chlorine	lbs.
b.	lbs.
c.	lbs.
d.	lbs.
e.	lbs.
f.	lbs.

Sludge removal from plant:	
a. Amount	cu.yds
b. Solid Content	%
c. Volatile Solids Content	%
d. Disposal Site	

Amount of electrical power consumed:	
a. Commercial	kilowatt hours
b. Stand-by	kilowatt hours

Other Solid Wastes		
a.	Screenings	cubic feet
b.	Grit	cubic feet
c.	Ashes	tons
d.		
e.		
f.		
g.	Disposal Site	
h.	Digester Gas Wasted	cubic feet

Amount of fuel consumed:	
a. Natural Gas	cubic feet
b. Oil	gallons
c. Gasoline	gallons
d. Coal	tons
e. Digester Gas	cubic feet
f. Propane	gallons

TRUCKED WASTE RECEIVED THIS MONTH			
1. Septage, holding tank waste and portable toilet waste	Total	Max day	
Volume (gallons)			
2. All other wastes	Total	Max day	
Volume (gallons)			
3. Number of Part 384 haulers currently approved to transport wastes to this POTW			
a. Septage, etc.			
b. All others			

[illegible]

I certify under penalty of the law that this document and all attachments were prepared under my direction or supervision in accordance with a system designed to assure that qualified personnel properly gather and evaluate the information submitted. Based on my inquiry of the person or persons who manage the system, or those persons directly responsible for gathering the information, the information submitted is, to the best of my knowledge and belief, true, accurate and complete. I am aware that there are significant penalties for submitting false information, including the possibility of fine and imprisonment for knowing violations.

Leel Dakota

Signature of Principal Executive Officer or Authorized Agent

Date _____

3/4/2022

